



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 1 of 8

MSDS

Samples Name: Rechargeable Li-ion Battery System

Client Name: Jiangmen Jeeseng Energy Co., Ltd.

Client Address: 3rd and 4th floors, Building 2, No. 93 Jiangwan Road, Huicheng, Xinhui District, Jiangmen City

Authorized signature

Fox Rong

Technical supervisor

Approved Signatory

Guangzhou Supreme Technology & Testing Service Co., Ltd.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 2 of 8

Section 1 - Chemical Product and Company Identification

Product Name: Rechargeable Li-ion Battery System

Model No.: JEEDD-204100

Brand: N/A

Client Name: Jiangmen Jeeseeng Energy Co., Ltd.

Client Address: 3rd and 4th floors, Building 2, No. 93 Jiangwan Road, Huicheng, Xinhui District, Jiangmen City

Manufacturer: Jiangmen Jeeseeng Energy Co., Ltd.

Manufactured Address: 3rd and 4th floors, Building 2, No. 93 Jiangwan Road, Huicheng, Xinhui District,
Jiangmen City

Importer name: LJW AUSTRALIA PTY LTD

Address: Level 1/268 Canterbury Rd, Surrey Hills VIC 3127

Phone: 0405 891 032

Email: ljwaustralia@gmail.com

Website: <https://www.au-hestia.com>

Fax: /

Post Code: /

Section 2 - Hazards Identification

Hazards Classification

In accordance with Regulation (EC) No. 1272/2008, the sample is divided into dangerous article.

Physical hazard: Aspiration hazard

Health hazard: Skin/Eye irritation, Sensitisation

Environment hazard: Hazardous to the aquatic environment, long-term hazard

Label elements

Hazard pictograms:



Signal word: Danger

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 3 of 8

Hazard statements:

- H228 Inflammable solid
- H301 Toxic if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation
- H319 Causes serious eye irritation.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H335 May cause respiratory irritation.
- H410 Very toxic to aquatic life with long lasting effects

Precautionary statements-Prevention:

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P314 Get medical advice/attention if you feel unwell.
- P304 + P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
- P304 + P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
- P370+P378 In case of fire: Use foam, dry powder, carbon dioxide, sandy soil extinguish.

Supplemental hazard: No data available.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 4 of 8

Section 3 –Composition/Information on Ingredient

Composition:

Chemical Name	CAS No.	Content (%)
Lithium iron phosphate (LiFePO ₄)	15365-14-7	20-40
Lithium hexafluorophosphate	21324-40-3	10-20
Aluminum	7429-90-5	10-20
Graphite	7782-42-5	10-20
Copper	7440-50-8	7-13
Poly(vinyl chloride)	9002-86-2	1-5

Section 4 - First Aid Measures

Skin contact: Remove contaminated clothing and rinse skin thoroughly with soapy and clean water. Seek medical attention if allergic.

Eyes contact: Immediately lift eyelids and rinse thoroughly with plenty of running water or saline for at least 15 minutes. Seek medical attention if allergic.

Inhalation: Leave the contaminated area immediately, take a deep breath of fresh air. Administer oxygen if breathing is difficult. If breathing stops, give artificial respiration immediately and seek medical attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5 - Fire Fighting Measures

1) Extinguishing media

- Extinguish fire with water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Avoid using direct running water to extinguish the fire, which may cause splashing of flammable liquid and spread the fire.

2) Special hazards arising from the substance or mixture

- On combustion, toxic gases are released.

3) Advice for firefighters

- Firefighters must wear gas masks and full-body fireproof suits and should work in protected shelters. Extinguish the fire in the upwind direction. Move the container from the fire source to an open area as much as possible.

Prevent objects from splashing up and causing burns.

4) Further information

- Water spray can be used to cool unopened containers.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 5 of 8

Section 6 –Accidental Release Measures

Emergency treatment:

1) Personal precautions, protective equipment and emergency procedures

Isolate the contaminated area of leakage and restrict access. It is recommended that emergency personnel wear gas mask and special protective clothing. Do not contact spills directly. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations.

2) Environmental precautions

- Control leakage when it is safe. The product is not allowed to flow into sewers, drainage ditches or other confined Spaces to avoid being discharged into the environment.

3) Methods and materials for containment and cleaning up

- Sweep up and shovel. Keep in suitable, closed containers for disposal.

Section 7 - Handling and Storage

Handling: Operate in a closed system and ensure good ventilation. Operators must undergo specialized training and strictly abide by operating procedures. It is recommended that operators wear self-priming filtering gas masks (half masks), chemical safety goggles, anti-toxic penetration work clothes and rubber oil-resistant gloves. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from fire and heat sources. Smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. Prevent steam from leaking into the workplace air. Avoid contact with oxidants and acids. When handling, load and unload gently to prevent damage to the packaging and containers. Be equipped with corresponding types and quantities of fire-fighting equipment and leakage emergency handling devices. Take measures to prevent the build up of electrostatic charge.

Storage: Keep the container sealed and store it in a dry, well-ventilated warehouse. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store separately from oxidants and acids. The storage area should be equipped with leak emergency treatment equipment and suitable containment materials.

Other Protections:

Do not easily disassemble, damage the battery; Avoid the release of harmful substances. Do not damage the battery by charging or discharging.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 6 of 8

Section 8 - Exposure Controls, Personal Protection

Control measures

- Handle in accordance with good industrial hygiene and safety practice.

Individual protection measures

- Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK(EN 14387) respirator cartridges as a backup to engineering controls.if the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH(US) or CEN(EU).

- Eye /face protection: Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

- Skin and body protection: Handle with gloves. Gloves must be inspected prior to use.Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Environmental exposure controls

- Control measures refer to national and local regulations.

Section 9 - Physical and Chemical Properties

Appearance: Solid

Color: /

Odour: When it leaks, there is an odor of ether

Flashpoint: N/A

Ignition temperature: N/A

Solubility: /

Section 10 - Stability and Reactivity

Stability: Stable under recommended conditions.

Distribution of Ban: Strong oxidizing agent.

Conditions to Avoid: No data available.

Hazardous Polymerization: No data available.

Hazardous Decomposition Products: Under the recommended storage and use conditions, no harmful decomposition products should be produced.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 7 of 8

Section 11 - Toxicological Information

Acute Toxicity: No available data..

Sub-acute and Chronic Toxicity: No available data.

Irritation: No available data.

Sensitization: No available data.

Mutagenicity: No available data.

Carcinogenicity: No available data.

Others: No available data.

Section 12 - Ecological Information

Eco-toxicity: No available data.

Biodegradable: No available data.

Non-biodegradable: No available data.

Bioconcentration or biological accumulation: No available data.

Other harmful effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.Harmful to aquatic life.

Section 13 - Disposal Considerations

Waste disposal methods: Offer surplus and non-recyclable solutions to a licensed disposal company.

Attention abandoned: National and local regulations should be consulted before disposal.

Section 14 - Transport Information

Number of dangerous goods: /

UN Number: /

Packaging Mark: /

Packaging Method: /

Transport fashion: No data available.

Transport Attentions:Please select the appropriate means of transportation and storage conditions according to the nature of the chemical. The means of transport shall be equipped with the corresponding varieties and quantities of fire fighting materials and leakage emergency treatment equipment. If you choose road transport, please follow the prescribed route.

Section 15 - Regulatory Information

Regulatory Information: ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2008 Classification, Labelling and Packaging of Substances and Mixtures.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>



Material Safety Data Sheet

Report No.:XNO260302098AX2-1

Date:02-Mar-2026

Page 8 of 8

Section 16 - Additional Information

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other The above information is based on the data of which we are aware and is believed to be correct as of the data reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable. Accordingly, XNO Testing Center will not be responsible for damages resulting from use of or reliance upon this information.

Declaration: Report XNO251010007AX2-1 was repealed and replaced by Report XNO260302098AX2-1.
(Add importer information on 02-Mar-2026.)

***** End of MSDS*****

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Guangzhou Supreme Technology & Testing Service Co., Ltd.

103, NanSha IT Park, South Tower, No.2 Huanshi Dadao Nan, NanSha District, GuangZhou City, GuangDong Province.China

Tel: 020-39004143

Fax: 020-39390517

Email: service@xnotesting.com

Website: <http://www.xnotesting.com>